

VR12S34

Sink material Stainless steel Welded bowl Type

No. of bowls

EAN code 8017709308094



Aesthetics







Universale **Aesthetic** Series Mira

Colour Stainless steel **Finishing** Brushed

Building in type

Flush fitted, Flat, Undermount **Embossed**

Tap hole / precut tap

hole

Logo

No Taphole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	340 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"

Technical Features





Dimensions of the product (mm)

201x380x440 mm

Height from kitchen top 1 mm Base unit size 45, 50 cm

370*430 mm

No. of clips

Cutout dimension topmount (mm)

340*400 mm

Type of clips

Standard + undermount clip

Cutout dimension undermount (mm)

Undermount cutout 12 mm

radius

Accessories included


SMEG SPA 7/9/2025





Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Silicone Integrated flush waste Ye



SMEG SPA 7/9/2025



Compatible Accessories

CB25MN




Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



COL19H

CB28QU

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm





1 Bowl automatic pop up in AISI304 with push botton ONLY for integrated waste kit bowls R12

SMEG SPA 7/9/2025



Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract.



Cupboard width required for sink installation



Flat: Installation of productwith flat edge.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



On this sink it is not possible to install the waste disposal

SMEG SPA 7/9/2025



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Integrated flush waste kit

Integrated flush waste kit to maximise the efficiency of your kitchen

The fully integrated flush waste kit in stainless steel guarantees hygiene and safety during food preparation as well as giving the sink an elegant appearance.

SMEG SPA 7/9/2025