

VR12S4040

Stainless steel Sink material Welded bowl Type

No. of bowls 2

EAN code 8017709308131



Aesthetics







Aesthetic Universale Colour Stainless steel **Finishing** Brushed Series Mira

Building in type Flush fitted, Flat,

Undermount **Embossed** Logo Tap hole / precut tap No Taphole

hole

Bowl Bowl **Bowl** Bowl Radius corner Strainer Strainer depth Overflow thickness dimensions, type RH dimension right bowl (mm) position WxDxH (mm) (mm) (mm) RHMinimum Yes, flush Wall 400 x 400 x 200 200 3.5" 1 12 radius Bowl fitted position LH Minimum Yes, flush Wall 400 x 400 x 200 200 3.5" 1 12 Bowl radius fitted position

Technical Features







Frame thickness Dimensions of the product (mm)

1 mm

Base unit size 201x840x440 mm Dividing wall width

25 mm No. of clips 10

Cutout dimension topmount (mm)

Type of clips

Standard + undermount clip

Cutout dimension undermount (mm)

800x400 mm

830x430 mm

Possibility to install waste disposal

No

90, 100 cm

SMEG SPA 26/11/2025



Undermount cutout

12 mm

radius

Height from kitchen top


1 mm

Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Silicone Integrated flush waste Yeskit



SMEG SPA 26/11/2025



Compatible Accessories

CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm





St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



KITPUSH

1 Bowl automatic pop up in AISI304 with push botton ONLY for integrated waste kit bowls R12

SMEG SPA 26/11/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract.



Cupboard width required for sink installation.



Flat: Installation of product with flat edge.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



On this sink it is not possible to install the waste disposal

SMEG SPA 26/11/2025