VR12S4040

Sink material	Stainless steel
Type	Welded bowl
No. of bowls	2
EAN code	8017709308131



Aesthetics



Aesthetic	Universale	**Building in type**	Flush fitted, Flat, Undermount
Colour	Stainless Steel	**Logo**	Embossed
Finishing	Brushed	**Tap hole / precut tap hole**	No Taphole
Series	Mira		

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"

Technical Features




Frame thickness	1 mm	**Base unit size**	90, 100 cm
Dimensions of the product (mm)	201x840x440 mm	**Dividing wall width**	25 mm
Cutout dimension topmount (mm)	830x430 mm	**No. of clips**	10
Cutout dimension undermount (mm)	800x400 mm	**Type of clips**	Standard + undermount clip
		Possibility to install waste disposal	No

Undermount cutout radius	12 mm
Height from kitchen top	1 mm

Accessories included

Accessories for installation	Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Silicone	**Integrated flush waste kit**	Yes



Symbols glossary



Cupboard width required for sink installation.



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from13 to 24,5.



Flat: Installation of product with flat edge.



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it’s easier to extract.



On this sink it is not possible to install the waste disposal