

# VR12S4040

Sink material Stainless steel
Type Welded bowl

No. of bowls 2

EAN code 8017709308131



### **Aesthetics**







Aesthetic Universale Series Mira

Colour Stainless steel
Finishing Brushed

Building in type

Flush fitted, Flat, Undermount

Logo Embossed
Tap hole / precut tap No Taphole

hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"

### **Technical Features**





Frame thickness

thickness 1 mm

Dimensions of the product (mm)

Cutout dimension topmount (mm)

Cutout dimension undermount (mm)

800\*400 mm

830\*430 mm

201x840x440 mm

Height from kitchen top 1 mm

Base unit size 90, 100 cm
Dividing wall width 25 mm
No. of clips 10

Type of clips Standard + undermount clip



Undermount cutout radius


12 mm

# Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Silicone Integrated flush waste Yes





# **Compatible Accessories**

### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



#### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



### CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



#### COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



#### **KITPUSH**

1 Bowl automatic pop up in AISI304 with push botton ONLY for integrated waste kit bowls R12



# Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract.



Cupboard width required for sink installation



Flat: Installation of productwith flat edge.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



On this sink it is not possible to install the waste disposal



# Benefit (TT)

### Two bowls

Two bowls for greater versatility and dual functionality

### Integrated flush waste kit

Integrated flush waste kit to maximise the efficiency of your kitchen

The fully integrated flush waste kit in stainless steel guarantees hygiene and safety during food preparation as well as giving the sink an elegant appearance