

# VR12S4040RS

Sink material Stainless steel Welded bowl Type

No. of bowls 2

EAN code 8017709308186



### **Aesthetics**





Universale Flush fitted, Flat **Aesthetic Building in type** Series Mira Logo **Embossed** Colour Stainless steel Tap hole / precut tap 2 Tapholes hole

**Finishing** Brushed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"

### **Technical Features**



Frame thickness 1 mm

Dimensions of the 201x850x510 mm

product (mm)

**Cutout dimension** 835\*495 mm

topmount (mm)

Height from kitchen top 1 mm Base unit size 90 cm Tap hole 2

Tap hole diameter 35 mm Popup command Yes, single Popup command type Push Dividing wall width 25 mm

No. of clips 11

Type of clips Undermount clip

**SMEG SPA** 29/8/2025




# Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips

**Integrated flush waste** Yes kit



SMEG SPA 29/8/2025



# **Compatible Accessories**

### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



#### COL19


St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



## CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm





St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

#### **KITPUSH**

1 Bowl automatic pop up in AISI304 with push botton ONLY for integrated waste kit bowls R12

**SMEG SPA** 29/8/2025



# Symbols glossary



Cupboard width required for sink installation



Flat: Installation of product with flat edge.



20cm

Sink depth - depending on the model, the depth can be from 13 to 24,5



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



On this sink it is not possible to install the waste disposal



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract.

SMEG SPA 29/8/2025



### Benefit (TT)

#### Two bowls

Two bowls for greater versatility and dual functionality

#### Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

#### Pop-up command

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

#### Pop-up command push

Attractive and modern pop-up command with push control for greater convenience in the kitchen

With the practical automatic pop-up kit with push control included, one touch is all it takes to control the movement of the drain, which opens and closes automatically ensuring greater convenience and hygiene.

#### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area

#### Integrated flush waste kit

Integrated flush waste kit to maximise the efficiency of your kitchen

The fully integrated flush waste kit in stainless steel guarantees hygiene and safety during food preparation as well as giving the sink an elegant appearance.

SMEG SPA 29/8/2025