VR12S4040RS

Sink material	Stainless steel
Type	Welded bowl
No. of bowls	2
EAN code	8017709308186



Aesthetics

Aesthetic	Universale	**Building in type**	Flush fitted, Flat
Colour	Stainless steel	**Logo**	Embossed
Finishing	Brushed	**Tap hole / precut tap hole**	2 Tapholes
Series	Mira		

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"


Technical Features

Frame thickness	1 mm	**Popup command**	Yes, single
Dimensions of the product (mm)	201x850x510 mm	**Popup command type**	Push
Cutout dimension topmount (mm)	835x495 mm	**Dividing wall width**	25 mm
Height from kitchen top	1 mm	**No. of clips**	11
Base unit size	90 cm	**Type of clips**	Undermount clip
Tap hole	2	**Possibility to install waste disposal**	No

Tap hole diameter	35 mm

Accessories included

Accessories for installation	Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips	**Integrated flush waste kit**	Yes



Symbols glossary



Cupboard width required for sink installation.



Flat: Installation of product with flat edge.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract.



Sink depth - depending on the model, the depth can be from13 to 24,5.



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



On this sink it is not possible to install the waste disposal