

## VR12S4040RS

Sink material Type No. of bowls EAN code Stainless steel Welded bowl 2 8017709308186



## Aesthetics

## 

Aesthetic Series Colour Finishing Universale Mira Stainless steel Brushed

Building in type Logo Tap hole / precut tap hole Flush fitted, Flat Embossed 2 Tapholes

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	400 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"

## **Technical Features**



Frame thickness	1 mm	Tap hole diameter	35 mm	
Dimensions of the	201x850x510 mm	Popup command	Yes, single	
product (mm)		Popup command type	Push	
Cutout dimension			25 mm	
topmount (mm)		No. of clips	11	
Height from kitchen top	1 mm	Type of clips	Undermount clip	
Base unit size	90 cm			
Tap hole	2			



## Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips Integrated flush waste Yes kit





## **Compatible Accessories**



#### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

#### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

#### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm





#### CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

#### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### KITPUSH

1 Bowl automatic pop up in AISI304 with push botton ONLY for integrated waste kit bowls R12

# -ss-smeg

## Symbols glossary

	on	
1	70	$\lambda$
F	-	Э
ι.		- 1

Cupboard width required for sink installation



Flat: Installation of productwith flat edge.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract. 20cm

Sink depth - depending on the model, the depth can be from13 to 24,5

ΓØ

Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



On this sink it is not possible to install the waste disposal



## Benefit (TT)

#### Two bowls

Two bowls for greater versatility and dual functionality

#### Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

#### Pop-up command

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

#### Pop-up command push

Attractive and modern pop-up command with push control for greater convenience in the kitchen

With the practical automatic pop-up kit with push control included, one touch is all it takes to control the movement of the drain, which opens and closes automatically ensuring greater convenience and hygiene

#### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area

#### Integrated flush waste kit

Integrated flush waste kit to maximise the efficiency of your kitchen

The fully integrated flush waste kit in stainless steel guarantees hygiene and safety during food preparation as well as giving the sink an elegant appearance