

## **VR12S50RS**

Sink material Type No. of bowls EAN code Stainless steel Welded bowl 1 8017709308155



## Aesthetics

	r 🛛
Aest	hetic

Series Colour Finishing Universale Mira Stainless steel Brushed

Building in type Logo Tap hole / precut tap hole Flush fitted, Flat Embossed 2 Tapholes

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	500 x 400 x 200	200	12	Yes, flush fitted	Wall position	3.5"

## **Technical Features**



Dimensions of the	201x550x510 mm	Tap hole diameter	35 mm	
product (mm)		Popup command	Yes, single	
Cutout dimension	535*495 mm	Popup command type	Push	
topmount (mm)		No. of clips	10	
Height from kitchen top	1 mm	Type of clips	Standard	
Base unit size	60 cm	, , , , , , , , , , , , , , , , , , ,		
Tap hole	2			

## Accessories included






Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips

Integrated flush waste Yes kit





### **Compatible Accessories**



#### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

#### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

#### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm





#### CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

#### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### KITPUSH

1 Bowl automatic pop up in AISI304 with push botton ONLY for integrated waste kit bowls R12

# •ss•smeg

## Symbols glossary

	6	n.	
1	<u> </u>	٠,	7
			1

Cupboard width required for sink installation



Flat: Installation of product with flat edge.



A unique waste kit totally integrated with the sink gives an elegant effect and guarantees greater hygiene with the continuous surface allowing you to combine convenience with total safety during the food preparation. The new plug design is ergonomic and it's easier to extract. 20cm

Sink depth - depending on the model, the depth can be from13 to 24,5

Γ

Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



On this sink it is not possible to install the waste disposal



## Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

#### Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

#### Pop-up command

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

#### Pop-up command push

Attractive and modern pop-up command with push control for greater convenience in the kitchen

With the practical automatic pop-up kit with push control included, one touch is all it takes to control the movement of the drain, which opens and closes automatically ensuring greater convenience and hygiene.

#### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area

#### Integrated flush waste kit

Integrated flush waste kit to maximise the efficiency of your kitchen

The fully integrated flush waste kit in stainless steel guarantees hygiene and safety during food preparation as well as giving the sink an elegant appearance.