

# VS34/P3

Sink material Stainless steel
Type Welded bowl

No. of bowls 1

**EAN code** 8017709077952



### **Aesthetics**



AestheticUniversaleBuilding in typeStandardSeriesAlbaLogoEngraved

ColourStainless steelAlternative coloursStainless steel PVD Black,FinishingBrushedavailableStainless steel PVD Copper,

Stainless steel PVD Brass

Tap hole / precut tap 1 Tap hole

hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Traditional	340 x 400 x 210	210	80	Yes, flush fitted	Side bowl	3.5"

### **Technical Features**



Base unit size

Tap hole

Dimensions of the 211x420x500 mm Tap hole diameter 35 mm product (mm) Gasket type Segling

roduct (mm) Gasket type Sealing paste

Cutout dimension 400 X 480 mm No. of clips

45 cm

1

topmount (mm)

Type of clips

Standard



## Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket

1



## **Compatible Accessories**

#### 3712



Siphon single bowl sinks (dishwasher connection included)

#### **DB34**



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

#### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### RND1V



Rondò waste kit 1 bowl with standard overflow

#### **CB34**



Single wooden chopping board to fit STD radius 340 x 400 mm bowl

#### KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### **STABMIX**



Tap stabiliser



## Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



## Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area