# VS45-P3

| | |
|---|---|
| **Sink material** | Stainless steel |
| **Type** | Welded bowl |
| **No. of bowls** | 1 |
| **EAN code** | 8017709084172 |



## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Universale | **Building in type** | Standard |
| **Colour** | Stainless Steel | **Logo** | Embossed |
| **Finishing** | Brushed | **Alternative colours available** | Stainless steel PVD Black, Stainless steel PVD Copper, Stainless steel PVD Brass |
| **Series** | Alba | **Tap hole / precut tap hole** | 2 Tapholes |


| | Bowl type | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner bowl | Overflow | Strainer position | Strainer dimension |
|---|---|---|---|---|---|---|---|
| Bowl | Traditional | 450 x 400 x 210 | 210 | 80 | Yes, traditional | Side bowl | 3.5" |

## Technical Features

| | | | |
|---|---|---|---|
| **Dimensions of the product (mm)** | 210x500x580 mm | **Popup command** | Yes, single |
| **Cutout dimension topmount (mm)** | 560 X 480 mm | **Popup command type** | Round |
| **Height from kitchen top** | 8 mm | **Gasket type** | Sealing paste |
| **Base unit size** | 60 cm | **No. of clips** | 8 |
| **Tap hole** | 2 | **Type of clips** | Standard |
| **Tap hole diameter** | 35 mm | | |

## Accessories included

| | |
|---|---|
| **Accessories for installation** | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control |



## Compatible Accessories



**3712**

Siphon single bowl sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITSTR**

1 Bowl automatic pop up waste kit with rectangular overflow and round knob



**STABMIX**

Tap stabiliser

## Symbols glossary




Cupboard width required for sink installation.




Sink depth - depending on the model, the depth can be from13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

## Benefit (TT)

**One bowl**

A single bowl for greater adaptability, capacity and space optimisation

**Double tap hole**

The sink is easily reversible, making it possible to create any type of kitchen composition

**Pop-up command**

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

**Double hole**

Double-hole for direct installation of the tap on the sink and greater flexibility of use.