

VS45-P3

Sink material Stainless steel
Type Welded bowl

No. of bowls 1

EAN code 8017709084172



Aesthetics



AestheticUniversaleBuilding in typeStandardSeriesAlbaLogoEmbossed

ColourStainless steelAlternative coloursStainless steel PVD Black,FinishingBrushedavailableStainless steel PVD Copper,

Stainless steel PVD Brass

2 Tapholes

Tap hole / precut tap

hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Traditional	450 x 400 x 210	210	80	Yes, traditional	Side bowl	3.5"

Technical Features



Dimensions of the 210x500x580 mm

product (mm)

Cutout dimension 560 X 480 mm

topmount (mm)

Height from kitchen top 8 mm
Base unit size 60 cm
Tap hole 2

Tap hole diameter 35 mm

Popup command Yes, single
Popup command type Round

Gasket type Sealing paste

No. of clips 8


Type of clips Standard



Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control





Compatible Accessories

3712



Siphon single bowl sinks (dishwasher connection included)

DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



SMEG SPA

KITFD100


Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITSTR

1 Bowl automatic pop up waste kit with rectangular overflow and round knob

27/7/2025





Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

Pop-up command

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area