

# VS45-P3

Stainless steel Sink material Welded bowl Type

No. of bowls 1

EAN code 8017709084172



## **Aesthetics**



Universale **Aesthetic** Building in type Standard Colour Stainless steel Logo **Embossed** 

Bowl depth

(mm)

210

**Finishing** Brushed Alternative colours Stainless steel PVD Black, available Stainless steel PVD Copper, Series Alba

Stainless steel PVD Brass

3.5"

Tap hole / precut tap

hole

80

l	Radius corner bowl	Overflow	Strainer position	Strainer dimension
	0.0	Yes,		0 []

2 Tapholes

Side bowl

# **Technical Features**

Bowl

type

Bowl Traditional



210x500x580 mm Dimensions of the

Bowl dimensions,

WxDxH (mm)

450 x 400 x 210

product (mm)

**Cutout dimension** 560 X 480 mm

topmount (mm)

Height from kitchen top 8 mm Base unit size 60 cm Tap hole 2

Tap hole diameter 35 mm Popup command Yes, single Popup command type Round

traditional

Gasket type Sealing paste

No. of clips


Type of clips Standard



# Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control





# **Compatible Accessories**

## 3712



Siphon single bowl sinks (dishwasher connection included)

# KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### **STABMIX**



Tap stabiliser

## DB34



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### **KITSTR**



1 Bowl automatic pop up waste kit with rectangular overflow and round knob



# Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



# Benefit (TT)

### One bowl

A single bowl for greater adaptability, capacity and space optimisation

### Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

### Pop-up command

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

## Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area