

# VS45-P3

Sink material Stainless steel  
 Type Welded bowl  
 No. of bowls 1  
 EAN code 8017709084172



## Aesthetics



<b>Aesthetic Series</b>	Universale	<b>Building in type</b>	Standard
<b>Colour</b>	Alba	<b>Logo</b>	Embossed
<b>Finishing</b>	Stainless steel	<b>Alternative colours available</b>	Stainless steel PVD Black, Stainless steel PVD Copper, Stainless steel PVD Brass
	Brushed	<b>Tap hole / precut tap hole</b>	2 Tapholes

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Traditional	450 x 400 x 210	210	80	Yes, traditional	Side bowl	3.5"

## Technical Features




<b>Dimensions of the product (mm)</b>	210x500x580 mm	<b>Popup command</b>	Yes, single
<b>Cutout dimension topmount (mm)</b>	560 X 480 mm	<b>Popup command type</b>	Round
<b>Height from kitchen top</b>	8 mm	<b>Gasket type</b>	Sealing paste
<b>Base unit size</b>	60 cm	<b>No. of clips</b>	8
<b>Tap hole</b>	2	<b>Type of clips</b>	Standard
<b>Tap hole diameter</b>	35 mm		

## Accessories Included

### Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with round rotary control



---

## Compatible Accessories

---



**3712**

Siphon single bowl sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITSTR**

1 Bowl automatic pop up waste kit with rectangular overflow and round knob






**STABMIX**

Tap stabiliser

---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Cupboard width required for sink installation  |  | Sink depth - depending on the model, the depth can be from 13 to 24,5 |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |   |   |

## Benefit (TT)

---

### **One bowl**

A single bowl for greater adaptability, capacity and space optimisation

### **Double tap hole**

The sink is easily reversible, making it possible to create any type of kitchen composition

### **Pop-up command**

The pop-up command allows the sink drain to be opened and closed remotely with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

### **Tap hole**

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area