

VS50P3

Sink material Stainless steel
 Type Welded bowl
 No. of bowls 1
 EAN code 8017709236403



Aesthetics



Aesthetic Universale Building in type Standard
 Colour Stainless steel Logo Embossed
 Finishing Brushed Tap hole / precut tap 2 Tapholes
 Series Alba hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Traditional	500 x 400 x 200	200	80	Yes, traditional	Wall position	3.5"

Technical Features




Dimensions of the product (mm) 210x580x500 mm Popup command Yes, single
 Cutout dimension topmount (mm) 550 X 480 mm Popup command type Round
 Height from kitchen top 8 mm Gasket type Sealing paste
 Base unit size 60 cm No. of clips 10
 Tap hole 2 Type of clips Standard
 Tap hole diameter 35 mm

Accessories included

Accessories for
installation

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips,
Gasket, Automatic pop - up
with roudn rotary control



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



DB34

St/steel drain basket to fit STD radius
340 x 400 bowl, 180 mm depth



KITFD075

Waste disposal 0,75 HP, Motor: 1/2
horsepower, Fits all sinks with 3 1/2"
waste outlet



KITSTR

1 Bowl automatic pop up waste kit with
rectangular overflow and round knob



CB28QU

Single HPL chopping board for
minimum radius, oak, measures 280 x
418 H 12 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2
horsepower, Fits all sinks with 3 1/2"
waste outlet



KITFD100




Waste disposal 1 HP, Motor: 1/2
horsepower, Fits all sinks with 3 1/2"
waste outlet



STABMIX

Tap stabiliser

Symbols glossary

- | | | | |
|--|---|---|--|
|  | Cupboard width required for sink installation. |  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets. | | |

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

Pop-up command

The pop-up command allows the sink drain to be opened and closed remotely with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area