

VS50P3

Sink material Stainless steel
Type Welded bowl

No. of bowls 1

EAN code 8017709236403



Aesthetics



AestheticUniversaleBuilding in typeStandardSeriesAlbaLogoEmbossedColourStainless steelTap hole / precut tap2 Tapholes

Finishing Brushed hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Traditional	500 x 400 x 200	200	80	Yes, traditional	Wall position	3.5"

Technical Features



Dimensions of the 210x580x500 mm

product (mm)

Cutout dimension 550 X 480 mm

topmount (mm)

Height from kitchen top 8 mm
Base unit size 60 cm
Tap hole 2
Tap hole diameter 35 mm

Popup command Yes, single
Popup command type Round

Gasket type Sealing paste

No. of clips 10


Type of clips Standard

Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with roudn rotary control





Compatible Accessories

3712



Siphon single bowl sinks (dishwasher connection included)

DB34



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITSTR



1 Bowl automatic pop up waste kit with rectangular overflow and round knob

CB28QU



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

STABMIX



Tap stabiliser



Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

Pop-up command

The pop-up command allows the sink drain to be opened and closed remotly with a simple gesture and without the need to touch the plug directly, increasing convenience and hygiene in the kitchen

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area