


VSGX860MN

| | |
|---------------|----------------|
| Sink material | Composite |
| Type | Composite bowl |
| No. of bowls | 1 |
| EAN code | 8017709311735 |



Aesthetics

| | | | | |
|--|-------------------------|------------|--------------------------------------|--------------------|
|  | Aesthetic | Universale | Logo | Applied |
| | Colour | Black | Alternative colours available | Cemento / Concrete |
| | Series | Quadra | Tap hole / precut tap hole | Prepared |
| | Building in type | Standard | | |

| | Bowl type RH | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow | Strainer position | Strainer dimension |
|---------|----------------|-----------------------------|-----------------|-------------------------------|-------------------|-------------------|--------------------|
| RH Bowl | Minimum radius | 796 x 386 x 215 | 215 | 6 | Yes, flush fitted | Wall position | 3.5" |

Technical Features




| | | | |
|---|--|--------------------------|----------|
| Characteristics composite material | Antibacterial, Easy to clean, Anti-scratch, Thermal shock resistant, High temperatures resistant, Impact resistant, UV Resistant | Base unit size | 90 cm |
| | | Tap hole | 1 |
| | | Tap hole diameter | 35 mm |
| | | No. of clips | 8 |
| | | Type of clips | Standard |
| Frame depth (mm) | 5 | | |
| Dimensions of the product (mm) | 215x860x510 mm | | |

Cutout dimension 840 x 480 mm
 topmount (mm)
 Height from kitchen top 10 mm

Accessories included

| | | | |
|------------------------------|--|---|-----|
| Accessories for installation | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips | Black matt standard waste kit and rectangular overflow | Yes |
| Colander | Yes | Black HPL chopping board | Yes |



Compatible Accessories



CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet











Alternative products

VSGX860CT

Colour: Cement / Concrete



Symbols glossary

| | | | |
|--|---|---|--|
|  | Cupboard width required for sink installation. |  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets. |  | Antibacterial |
|  | Antiscratch |  | Thermal shock resistant |
|  | High temperatures resistant |  | Impact resistant |
|  | Easy to clean |  | UV protection, does not fade over time. |