

VSTQ3838

Sink material Stainless steel
Type Squared bowl
No. of bowls 2
EAN code 8017709151904



Aesthetics



Aesthetic Universale
Colour Stainless steel
Finishing Satin
Series Quadra
Building in type Undermount
Logo Embossed
Tap hole / precut tap hole No Taphole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Squared	1	380 x 400 x 210	210	Yes, traditional	Wall position	3.5"
LH Bowl	Squared	1	380 x 400 x 210	210	Yes, traditional	Wall position	3.5"

Technical Features





Frame thickness 1 mm
Dimensions of the product (mm) 210x811x428 mm
Cutout dimension undermount (mm) vedi dima mm
Undermount cutout radius 5 mm
Base unit size 90 cm
Tap hole diameter 35 mm
Dividing wall width 30 mm
No. of clips 8
Type of clips Undermount clip

Accessories included

Accessories for
installation

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips



Compatible Accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V




2 Bowls standard Rondò waste kit with rectangular overflow



STABMIX

Tap stabiliser

Symbols glossary

- | | | | |
|--|---|---|--|
|  | Cupboard width required for sink installation. |  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |
|  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. | | |