

VSTQ3838

Sink material

Type

No. of bowls

EAN code

Stainless steel

Squared bowl

2

8017709151904



Aesthetics



Aesthetic

Colour

Finishing

Series

Universale

Stainless steel

Satin

Quadra

Building in type

Logo

Tap hole / precut tap hole

Undermount

Embossed

No Taphole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Squared	1	380 x 400 x 210	210	Yes, traditional	Wall position	3.5"
LH Bowl	Squared	1	380 x 400 x 210	210	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness

Dimensions of the product (mm)

Cutout dimension undermount (mm)

Undermount cutout radius

Base unit size

1 mm

210x811x428 mm

vedi dima mm

5 mm

90 cm

Tap hole diameter

Dividing wall width

No. of clips

Type of clips

35 mm

30 mm



8

Undermount clip

Accessories included

Accessories for
installation

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips



Compatible Accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.