

VSTQ3838

Sink material Stainless steel Squared bowl Type

No. of bowls 2

EAN code 8017709151904



Aesthetics

Universale Building in type **Aesthetic** Undermount Series Quadra Logo **Embossed** Colour Stainless steel Tap hole / precut tap No Taphole hole

Finishing Satin

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Squared	1	380 x 400 x 210	210	Yes, traditional	Wall position	3.5"
LH Bowl	Squared	1	380 x 400 x 210	210	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness 1 mm

Dimensions of the

90 cm

product (mm)

Base unit size

Cutout dimension vedi dima mm

undermount (mm)

Undermount cutout 5 mm

radius

Tap hole diameter 35 mm 210x811x428 mm Dividing wall width 30 mm No. of clips 8


Type of clips Undermount clip




Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips







Compatible Accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



Benefit (TT)

Two bowls

Two bowls for greater versatility and dual functionality