

VSTQ50-2

Sink materialStainless steelTypeSquared bowl

No. of bowls

EAN code 8017709127732



Aesthetics

AestheticUniversaleSeriesQuadraColourStainless steelBuilding in typeUndermountFinishingBrushedLogoEmbossed

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
Bowl	Squared	500 x 400 x 210	210	Yes, traditional	Wall position	3.5"

Technical Features



Dimensions of the

210x520x418 mm

Gasket type Sealing paste

product (mm)
Cutout dimension

6

undermount (mm)

398*500 mm

No. of clips Type of clips

Undermount clip


Base unit size 60 cm
Tap hole diameter 35 mm

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips







Compatible Accessories

3712



Siphon single bowl sinks (dishwasher connection included)

KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



VSH20Q

Colander for square sinks radius 0 204 x 438 x 118 mm



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation