

VSTQ72-2

Sink materialStainless steelTypeSquared bowl

No. of bowls 1

EAN code 8017709125608



Aesthetics



AestheticUniversaleBuilding in typeUndermountSeriesQuadraLogoEmbossedColourStainless steelTap hole / precut tapNo Taphole

Finishing Brushed hole

5 mm

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
Bowl	Squared	720 x 400 x 210	210	Yes, traditional	Wall position	3.5"

Technical Features



Dimensions of the 210x740x418 mm

product (mm)

Cutout dimension 398*720 mm

undermount (mm)

Undermount cutout

radius

Base unit size 80 cm

Tap hole diameter35 mmGasket typeSealing paste

No. of clips


Type of clips Undermount clip

Accessories Included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3712

Siphon single bowl sinks (dishwasher connection included)



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



VSH20Q

Colander for square sinks radius 0 204 x $438 \times 118 \text{ mm}$



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.