

VSTR18-2

Materiaal
Type spoelbak
Aantal spoelbakken
EAN-code

Inox
Enkel geperste spoelbak
3/4
8017709190538



Design



Design
Series
Kleur

Universeel
Mira
Inox

Afwerking
Type inbouw
Geperforeerde opening voor kraan

Geborsteld inox
Onderbouw
Geen geperforeerde opening voor kraan

	Type spoelbak	Afmetingen spoelbak, BxHxD (mm)	Diepte spoelbak (mm)	Hoekradius spoelbak	Overloop spoelbak	Positie crepine spoelbak	Afmeting crepine
Spoelbak	Spoelbakje	180 x 340 x 156	156	15	Ja, verzonken	Centrale spoelbak	8,89 cm

Technische specificaties



Afmetingen product (mm)
Cutout dimension undermount (mm)
Afmeting inbouwmeubel

156x380x220 mm
182*342 mm
45 cm


Diameter kraangat
Aantal haken
Type haken

35 mm
4
Onderbouw haken

Meegeleverde accessoires

Accessoires voor installatie inbegrepen

Crepine, Montagehaken



Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3712

Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.