

VSTR34BRX

Sink material Stainless steel
 Sink type Single-pressed bowl
 No. of bowls 1
 EAN code 8017709303006



Aesthetics



Aesthetics Universal Building in type Undermount
 Series Mira Logo Embossed
 Colour Brass Tap hole / precut tap No Taphole
 Finishing PVD Brushed hole


	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	340 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

Technical Features



Characteristics composite material Coating thickness , Eco-friendly, Pre-assembled gasket, Hypoallergenic
 Dimensions of the product WxDxH (mm) 200x382x442 mm Tap hole diameter 35 mm
 Cutout dimension undermount (mm) 344*404 mm No. of clips 4
 Base unit size 45 cm Type of clips Undermount clip

Accessories Included



Not included accessories



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



DB34

Cestello in filo inox per abbinamento alle vasche di dimensione 340*400 mm



3712

Siphon single bowl sinks (dishwasher connection included)



3713








Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet

Symbols glossary

- | | | | |
|--|---|---|---|
|  | Cupboard width required for sink installation |  | Sink depth - depending on the model, the depth can be from 13 to 24,5 |
|  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |  | Easy to clean |
|  | Coating thickness between 0.2mm and 2mm |  | PVD coatings are hypoallergenic and suitable for use in contact with food |
|  | The manufacturing process of PVD treatment is 100% green and eco-friendly | | |