

VSTR34DKX

| | |
|--------------------|-------------------------|
| Materiaal | Inox |
| Type spoelbak | Enkel geperste spoelbak |
| Aantal spoelbakken | 1 |
| EAN-code | 8017709276799 |



Design



| | | | |
|-----------|-------------|----------------------------------|---------------------------------------|
| Design | Universeel | Type inbouw | Onderbouw |
| Kleur | Dark Inox | Logo | In reliëf |
| Afwerking | PVD Brushed | Geperforeerde opening voor kraan | Geen geperforeerde opening voor kraan |
| Series | Mira | | |

| | Type spoelbak | Afmetingen spoelbak, BxHxD (mm) | Diepte spoelbak (mm) | Hoekradius spoelbak | Overloop spoelbak | Positie crepine spoelbak | Afmeting crepine |
|----------|----------------|---------------------------------|----------------------|---------------------|-------------------|--------------------------|------------------|
| Spoelbak | Minimum radius | 340 x 400 x 200 | 200 | 15 | Ja, verzonken | Wandkap | 8,89 cm |

Technische specificaties




| | | | |
|----------------------------------|---|-------------------|-----------------|
| Characteristics PVD coating | Coating thickness , Eco-friendly, Easy to clean, Hypoallergenic | Diameter kraangat | 35 mm |
| Afmetingen product (mm) | 200x382x442 mm | Aantal haken | 4 |
| Cutout dimension undermount (mm) | 344x404 mm | Type haken | Onderbouw haken |
| Afmeting inbouwmeubel | 45 cm | | |

Meegeleverde accessoires

Accessoires voor
installatie inbegrepen

Crepine, Sifon met
vatwasseraansluiting,
Montagehaken



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



3713

Siphon double bowls sinks (dishwasher connection included)



DB34

St/steel drain basket to fit STD radius
340 x 400 bowl, 180 mm depth



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Alternative products



VSTR34BRX

Kleur: Messing



VSTR34CUX

Kleur: Koper

Symbols glossary

- | | | | |
|--|---|---|---|
|  | Cupboard width required for sink installation. |  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |
|  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |  | Easy to clean |
|  | Coating thickness between 0.2mm and 2mm |  | PVD coatings are hypoallergenic and suitable for use in contact with food |
|  | The manufacturing process of PVD treatment is 100% green and eco-friendly | | |

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation