

VSTR4018-2

Sink material Stainless steel
Sink type Side by side bowls
No. of bowls 1 + 3/4
EAN code 8017709262129



Aesthetics



Aesthetics Universal
Series Mira
Colour Stainless steel
Finishing Brushed
Building in type Undermount
Logo Embossed
Tap hole / precut tap hole No Taphole

	Bowl type	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	180 x 340 x 162	162	15		Centre of bowl	3.5"
LH Bowl	Minimum radius	1	400 x 340 x 200	200	15	Yes, flush fitted	Centre of bowl	3.5"

Technical Features




Frame thickness 1 mm
Dimensions of the product WxDxH (mm) 200x608x472 mm
Cutout dimension undermount (mm) 401*551 mm
Base unit size 80 cm
Tap hole diameter 35 mm
Dividing wall width 30 mm
No. of clips 8
Type of clips Undermount clip

Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips



Compatible Accessories



3713

Siphon double bowls sinks (dishwasher connection included)



DB34

Cestello in filo inox per abbinamento alle vasche di dimensione 340*400 mm



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



RND2V

Rondò waste kit 2 bowls with 1 standard overflow

Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



Sink depth - depending on the model, the depth can be from 13 to 24,5

Benefit

Two bowls

Designed for versatility, the two-bowl configuration offers enhanced functionality, making kitchen tasks more efficient.