

# VSTR4018-2

Sink material Stainless steel

Type Side by side undermount bowls

No. of bowls 1 + 3/4

EAN code 8017709262129



### **Aesthetics**



AestheticUniversaleBuilding in typeUndermountSeriesMiraLogoEmbossedColourStainless steelTap hole / precut tapNo Taphole

Finishing Brushed hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	180 x 340 x 162	162	15		Centre of bowl	3.5"
LH Bowl	Minimum radius	1	400 x 340 x 200	200	15	Yes, flush fitted	Centre of bowl	3.5"

### **Technical Features**



Frame thickness 1 mm

Dimensions of the 200x608x472 mm

product (mm)

Cutout dimension 401\*551 mm

undermount (mm)

Base unit size 80 cm

Tap hole diameter 35 mm
Dividing wall width 30 mm

No. of clips 8


Type of clips Undermount clip

### Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





## **Compatible Accessories**

#### 3713



Siphon double bowls sinks (dishwasher connection included)



#### DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



#### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



## Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24.5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



## Benefit (TT)

#### Two bowls

Two bowls for greater versatility and dual functionality