

## VSTR4018-2

Materiaal	Inox
Type spoelbak	Geflankeerde spoelbakken
Aantal spoelbakken	1 + 3/4
EAN-code	8017709262129



## Design



Design	Universeel	Type inbouw	Onderbouw
Kleur	Inox	Logo	In reliëf
Afwerking	Geborsteld inox	Geperforeerde opening voor kraan	Geen geperforeerde opening voor kraan
Series	Mira		

	Type spoelbak	Staaldikte spoelbak (mm)	Afmetingen spoelbak, BxHxD (mm)	Diepte spoelbak (mm)	Hoekradius spoelbak	Overloop spoelbak L	Positie crepine	Afmeting crepine
Spoelbak rechts	Minimum radius	1	180 x 340 x 162	162	15		Centrale spoelbak	8,89 cm
Spoelbak links	Minimum radius	1	400 x 340 x 200	200	15	Ja, verzonken	Centrale spoelbak	8,89 cm

## Technische specificaties



Frame dikte	1 mm	Diameter kraangat	35 mm
Afmetingen product (mm)	200x608x472 mm	Inox tussenstuk spoelbak	30 mm
Cutout dimension undermount (mm)	401*551 mm	Aantal haken	8
Afmeting inbouwmeubel	80 cm	Type haken	Onderbouw haken

## Meegeleverde accessoires



---

## Compatible Accessories

---



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet







**RND2V**

2 Bowls standard Rondò waste kit with rectangular overflow

---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Cupboard width required for sink installation.                         |  | Sink depth - depending on the model, the depth can be from 13 to 24,5   |
|  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |