

VSTR4018-2

Sink material Stainless steel

Type Side by side undermount bowls

No. of bowls 1 + 3/4

8017709262129 EAN code



Aesthetics



Universale Building in type Undermount **Aesthetic** Series Mira Logo **Embossed** Colour Stainless steel Tap hole / precut tap No Taphole hole

Finishing Brushed

200x608x472 mm

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	180 x 340 x 162	162	15		Centre of bowl	3.5"
LH Bowl	Minimum radius	1	400 x 340 x 200	200	15	Yes, flush fitted	Centre of bowl	3.5"

Technical Features



Frame thickness 1 mm

Dimensions of the

product (mm)

Cutout dimension 401*551 mm

undermount (mm)

Base unit size 80 cm Tap hole diameter 35 mm Dividing wall width 30 mm

No. of clips 8

Type of clips Undermount clip


Accessories Included

SMEG SPA 20/9/2024



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 20/9/2024



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



3713

Siphon double bowls sinks (dishwasher connection included)



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

SMEG SPA 20/9/2024



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24.5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

SMEG SPA 20/9/2024