

# VSTR50BRX

|               |                 |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type          | Monoblock bowl  |
| No. of bowls  | 1               |
| EAN code      | 8017709303020   |



## Aesthetics



|           |             |                            |            |
|-----------|-------------|----------------------------|------------|
| Serie     | Mira        | Building in type           | Undermount |
| Aesthetic | Universale  | Logo                       | Embossed   |
| Colour    | Brass       | Tap hole / precut tap hole | No Taphole |
| Finishing | PVD Brushed |                            |            |

|      | Bowl type      | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner bowl | Overflow          | Strainer position | Strainer dimension |
|------|----------------|-----------------------------|-----------------|--------------------|-------------------|-------------------|--------------------|
| Bowl | Minimum radius | 500 x 400 x 200             | 200             | 15                 | Yes, flush fitted | Wall position     | 3.5"               |

## Technical Features




|                                  |   |                   |                 |
|----------------------------------|---|-------------------|-----------------|
| Characteristics PVD coating      | Coating thickness , Eco-friendly, Easy to clean, Hypoallergenic | Tap hole diameter | 35 mm           |
| Dimensions of the product (mm)   | 200x542x442 mm  | No. of clips      | 8               |
| Cutout dimension undermount (mm) | 404*504 mm  | Type of clips     | Undermount clip |
| Base unit size                   | 60 cm   |                   |                 |

## Accessories Included

Accessories for  
installation

Strainer, Savespace siphon  
with dishwasher outlet  
connection, Fixing clips



---

## Not included accessories

---



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



### 3712

Siphon single bowl sinks (dishwasher connection included)



### 3713

Siphon double bowls sinks (dishwasher connection included)



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet










### KITFD050UK

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet, UK

---

## Symbols glossary (TT)

---

- |  |   |   |   |
|--|---|---|---|
|  | Cupboard width required for sink installation   |  | Sink depth - depending on the model, the depth can be from 13 to 24,5     |
|  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |  | Coating thickness between 0.2mm and 2mm                                   |
|  | Easy to clean   |  | The manufacturing process of PVD treatment is 100% green and eco-friendly |
|  | PVD coatings are hypoallergenic and suitable for use in contact with food   |   |   |