

# VSTR50CUX

Sink material	Stainless steel
Sink type	Single-pressed bowl
No. of bowls	1
EAN code	8017709276850



## Aesthetics



<b>Aesthetics</b>	Universal	<b>Building in type</b>	Undermount
<b>Series</b>	Mira	<b>Logo</b>	Embossed
<b>Colour</b>	Copper	<b>Tap hole / precut tap hole</b>	No Taphole
<b>Finishing</b>	PVD Brushed		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	500 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

## Technical Features




<b>Characteristics composite material</b>	Coating thickness , Eco-friendly, Pre-assembled gasket, Hypoallergenic	<b>Tap hole diameter</b>	35 mm
<b>Dimensions of the product WxDxH (mm)</b>	200x542x442 mm	<b>No. of clips</b>	8
<b>Cutout dimension undermount (mm)</b>	404*504 mm	<b>Type of clips</b>	Undermount clip
<b>Base unit size</b>	60 cm		

## Accessories Included

Accessories for  
installation

Strainer, Siphon with  
dishwasher outlet  
connection, Fixing clips



---

## Not included accessories

---



### KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



### DB34

Cestello in filo inox per abbinamento alle vasche di dimensione 340\*400 mm



### 3712

Siphon single bowl sinks (dishwasher connection included)



### 3713

Siphon double bowls sinks (dishwasher connection included)










### KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet

---

## Symbols glossary

---

	Cupboard width required for sink installation		Sink depth - depending on the model, the depth can be from 13 to 24,5
	Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.		Coating thickness between 0.2mm and 2mm
	Easy to clean		The manufacturing process of PVD treatment is 100% green and eco-friendly
	PVD coatings are hypoallergenic and suitable for use in contact with food		