


# VSTR50CUX

Materiaal	Inox
Type spoelbak	Enkel geperste spoelbak
Aantal spoelbakken	1
EAN-code	8017709276850



## Design

	<b>Design</b>	Universeel	<b>Type inbouw</b>	Onderbouw
	<b>Kleur</b>	Koper	<b>Logo</b>	In reliëf
	<b>Afwerking</b>	PVD Brushed	<b>Geperforeerde opening voor kraan</b>	Geen geperforeerde opening voor kraan
	<b>Series</b>	Mira		

	Type spoelbak	Afmetingen spoelbak, BxHxD (mm)	Diepte spoelbak (mm)	Hoekradius spoelbak	Overloop spoelbak	Positie crepine spoelbak	Afmeting crepine
Spoelbak	Minimum radius	500 x 400 x 200	200	15	Ja, verzonken	Wandkap	8,89 cm

## Technische specificaties




<b>Characteristics PVD coating</b>	Coating thickness , Eco-friendly, Easy to clean, Hypoallergenic	<b>Diameter kraangat</b>	35 mm
<b>Afmetingen product (mm)</b>	200x542x442 mm	<b>Aantal haken</b>	8
<b>Cutout dimension undermount (mm)</b>	404*504 mm	<b>Type haken</b>	Onderbouw haken
<b>Afmeting inbouwmeubel</b>	60 cm		

## Meegeleverde accessoires

Accessoires voor  
installatie inbegrepen

Crepine, Sifon met  
vatwasseraansluiting,  
Montagehaken



---

## Compatible Accessories

---



**3712**

Siphon single bowl sinks (dishwasher connection included)



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius  
340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Alternative products

---



**VSTR50BRX**

Kleur: Messing










**VSTR50DKX**

Kleur: Dark Inox

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Breedte van het inbouwmeubel voor installatie spoelbak  |  | Sink depth - depending on the model, the depth can be from 13 to 24,5.    |
|  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |  | Easy to clean   |
|  | Coating thickness between 0.2mm and 2mm   |  | PVD coatings are hypoallergenic and suitable for use in contact with food |
|  | The manufacturing process of PVD treatment is 100% green and eco-friendly   |   |   |

---

## Benefit (TT)

---

### **One bowl**

A single bowl for greater adaptability, capacity and space optimisation