

VSTR71BRX

Sink material Stainless steel Type Monoblock bowl

No. of bowls

EAN code 8017709303037



Aesthetics



Aesthetic Universale **Building in type** Undermount Colour **Brass** Logo **Embossed Finishing PVD Brushed** Tap hole / precut tap No Taphole hole

Series

Mira

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	710 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

Tap hole diameter

No. of clips

35 mm

Undermount clip

Technical Features











Characteristics PVD coating

Coating thickness, Eco-

friendly, Easy to clean, Hypoallergenic

Type of clips 200x750x440 mm

Dimensions of the product (mm) **Cutout dimension** undermount (mm)

402*712 mm


Base unit size 80 cm

Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories





Siphon single bowl sinks (dishwasher connection included)

73

3713

Siphon double bowls sinks (dishwasher connection included)





St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth




KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075





KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet




Alternative products

VSTR71DKX

Colour: Dark Inox









Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.




Easy to clean



Coating thickness between 0.2mm and 2mm



PVD coatings are hypoallergenic and suitable for use in contact with food





Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation