

# VSTR71DKX

**Sink material** Stainless steel  
**Type** Monoblock bowl  
**No. of bowls** 1  
**EAN code** 8017709276829



## Aesthetics



**Aesthetic** Universale  
**Colour** Dark Inox  
**Finishing** PVD Brushed  
**Series** Mira  
**Building in type** Undermount  
**Logo** Embossed  
**Tap hole / precut tap hole** No Taphole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	710 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

## Technical Features




**Characteristics PVD coating** Coating thickness , Eco-friendly, Easy to clean, Hypoallergenic  
**Dimensions of the product (mm)** 200x750x440 mm  
**Cutout dimension undermount (mm)** 402\*712 mm  
**Base unit size** 80 cm  
**Tap hole diameter** 35 mm  
**No. of clips** 8  
**Type of clips** Undermount clip

## Accessories included

Accessories for  
installation

Strainer, Savespace siphon  
with dishwasher outlet  
connection, Fixing clips



---

## Compatible Accessories

---



**3712**

Siphon single bowl sinks (dishwasher connection included)



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius  
340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Alternative products

---

VSTR71CUX

Colour: Copper



VSTR71BRX








Colour: Brass



---

## Symbols glossary

---

	Cupboard width required for sink installation.		Sink depth - depending on the model, the depth can be from 13 to 24,5.
	Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.		Coating thickness between 0.2mm and 2mm
	Easy to clean		The manufacturing process of PVD treatment is 100% green and eco-friendly
	PVD coatings are hypoallergenic and suitable for use in contact with food		

---

## Benefit (TT)

---

### **One bowl**

A single bowl for greater adaptability, capacity and space optimisation