VZ45N

Sink material	Composite
Type	Composite bowl
No. of bowls	1
EAN code	8017709311704



Aesthetics

Aesthetic	Universale	**Logo**	On overflow
Colour	Black	**Alternative colours available**	White, Cream, Beige, Cemento / Concrete, EXTRA White, EXTRA Black
Series	Quadra		
Building in type	Standard	**Tap hole / precut tap hole**	Prepared

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	400 x 400 x 200	200	5	Yes, traditional	Wall position	3.5"


Technical Features

Characteristics composite material	Antibacterial, Easy to clean, Anti-scratch , Termal schock resistant, High temperatures resistant, Impact resistant, UV Resistant	**Tap hole**	1
		Tap hole diameter	35 mm
		No. of clips	4
		Type of clips	Standard
Dimensions of the product (mm)	200x470x500 mm		
Cutout dimension topmount (mm)	450 X 480 mm		

Height from kitchen top	10 mm
Base unit size	45 cm

Accessories included

Accessories for installation	Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



Compatible Accessories



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Alternative products



VZ45CT

Colour: Cement / Concrete



VZ45B

Colour: White

Symbols glossary


Antibacterial


Antiscratch



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from13 to 24,5.


Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.


Termal schock resistant


High temperatures resistant


Impact resistant


Easy to clean



UV protection, does not fade over time.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole possibility

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area