

# VZ79CT

Sink material Composite Type Composite bowl

No. of bowls

EAN code 8017709251802



### **Aesthetics**



**Aesthetic** Universale On overflow Logo

Colour Cement / Concrete Alternative colours available Series Quadra

Tap hole / precut tap Prepared Building in type Standard

hole

Tap hole

No. of clips

Type of clips

Tap hole diameter

Black, White, Cream, Beige, EXTRA White, EXTRA Black

1

10

35 mm

Standard

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	720 x 400 x 210	210	5	Yes, traditional	Wall position	3.5"

### **Technical Features**















Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant,

Impact resistant, UV

Resistant

Dimensions of the product (mm)

210x790x500 mm

**Cutout dimension** 

770 X 480 mm

topmount (mm)

Height from kitchen top 10 mm

SMEG SPA 22/11/2025




Base unit size

80 cm

## Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 22/11/2025



## **Compatible Accessories**

#### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



#### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



## CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



#### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



#### **KITDSQ**

Soap dispenser chrome finishing with square knob 40x40 mm



#### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**SMEG SPA** 22/11/2025



# Alternative products

VZ79N

Colour: Black

VZ79B

Colour: White



SMEG SPA

22/11/2025



## Symbols glossary



Antibacterial



Cupboard width required for sink installation.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Termal schock resistant



Impact resistant



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Easy to clean



High temperatures resistant



UV protection, does not fade over time.

SMEG SPA 22/11/2025



# Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

### Tap hole possibility

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area

SMEG SPA 22/11/2025