VZP56N

Sink material	Composite
Sink type	Composite bowl
No. of bowls	1
EAN code	8017709294076



Aesthetics

Aesthetics	Universal	**Logo**	On overflow
Colour	Black	**Alternative colours available**	Dove Grey, White, Cemento / Concrete
Series	Quadra	**Tap hole / precut tap hole**	No Taphole
Building in type	Standard, Undermount		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	500 x 400 x 200	200	10	Yes, flush fitted	Wall position	3.5"


Technical Features

Characteristics composite material	Strainer, Pre-assembled gasket, Siphon with dishwasher outlet connection, Siphon save space with dishwasher outlet connection, Fixing clips, Gasket, UV Resistant	**Height from kitchen top**	6 mm
		Base unit size	60 cm
		No. of clips	4
		Type of clips	Standard + undermount clip
Dimensions of the product WxDxH (mm)	200x556x456 mm		
Cutout dimension (mm)	546x446 mm		
Cutout dimension undermount (mm)	500x400 mm		

Cutout radius	10 mm

Accessories Included

Accessories for installation	Strainer, Siphon with dishwasher outlet connection, Fixing clips



Compatible Accessories



KITDSQ

Soap dispenser Square knob



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet

Alternative products



VZP56B

Colour: White



VZP56CT

Colour: Grey

Symbols glossary


Antibacterial


Antiscratch



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from13 to 24,5


Standard installation: Traditional installation in tabletop, suitable for any kitchen sets


Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.


Easy to clean


High temperatures resistant


Impact resistant


Termal schock resistant



UV protection, does not fade over time.

Benefit

One bowl

A single bowl for greater adaptability, capacity and space optimisation