

# VZP56N

Sink material Composite
Type Composite bowl

No. of bowls

EAN code 8017709294076



### **Aesthetics**





Aesthetic Universale Logo On overflow

Colour Black Alternative colours Dove Gray, White, Cemento

Series Quadra available / Concrete

Building in type Standard, Undermount Tap hole / precut tap No Taphole hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	500 x 400 x 215	215	10	Yes, flush fitted	Wall position	3.5"

## **Technical Features**















Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV

Resistant

Resisto

Dimensions of the product (mm)

215x556x456 mm

Cutout dimension topmount (mm)

**SMEG SPA** 

546x446 mm

11/25/2025

Height from kitchen top

Base unit size

No. of clips

Type of clips

6 mm

60 cm

Standard + undermount clip



Cutout dimension undermount (mm) Undermount cutout

radius


500x400 mm

10 mm

## Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





## **Compatible Accessories**





Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe





St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

#### KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### CB28QU



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

#### COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### **KITDSQ**



Soap dispenser chrome finishing with square knob 40x40 mm

#### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



# Alternative products



VZP56B
Colour: White



VZP56CT

Colour: Cement / Concrete



## Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



**Antibacterial** 



Antiscratch



Termal schock resistant



High temperatures resistant



Impact resistant



Easy to clean



UV protection, does not fade over time.



# Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation