

# VZP76B

**Sink material** Composite  
**Type** Composite bowl  
**No. of bowls** 1  
**EAN code** 8017709294014



## Aesthetics



|                         |                      |                                      |                                      |
|-------------------------|----------------------|--------------------------------------|--------------------------------------|
| <b>Aesthetic</b>        | Universale           | <b>Logo</b>                          | On overflow                          |
| <b>Colour</b>           | White                | <b>Alternative colours available</b> | Dove Gray, Black, Cemento / Concrete |
| <b>Series</b>           | Quadra               | <b>Tap hole / precut tap hole</b>    | No Taphole                           |
| <b>Building in type</b> | Standard, Undermount |                                      |                                      |

|      | Bowl type      | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner bowl | Overflow          | Strainer position | Strainer dimension |
|------|----------------|-----------------------------|-----------------|--------------------|-------------------|-------------------|--------------------|
| Bowl | Minimum radius | 700 x 400 x 215             | 215             | 10                 | Yes, flush fitted | Wall position     | 3.5"               |

## Technical Features



|   |  |                                |                            |
|---|--|--------------------------------|----------------------------|
| <b>Characteristics composite material</b> | Antibacterial, Easy to clean, Anti-scratch, Thermal shock resistant, High temperatures resistant, Impact resistant, UV Resistant | <b>Height from kitchen top</b> | 6 mm                       |
| <b>Dimensions of the product (mm)</b>     | 215x756x456 mm   | <b>Base unit size</b>          | 80 cm                      |
| <b>Cutout dimension topmount (mm)</b>     | 746x446 mm   | <b>No. of clips</b>            | 4                          |
|   |  | <b>Type of clips</b>           | Standard + undermount clip |


---

|                                     |            |
|-------------------------------------|------------|
| Cutout dimension<br>undermount (mm) | 700x400 mm |
| Undermount cutout<br>radius         | 10 mm      |

## Accessories included

---

|                                 |  |
|---------------------------------|--|
| Accessories for<br>installation | Strainer, Savespace siphon<br>with dishwasher outlet<br>connection, Fixing clips |
|---------------------------------|--|



## Compatible Accessories



### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



### COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### CB28QU

Single HPL chopping board for minimum radius, oak, measures 280 x 418 H 12 mm



### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



### KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Alternative products

---

**VZP76CT**

**Colour: Cement / Concrete**



**VZP76N**

**Colour: Black**



**VZP76DV**












**Colour: Dove Gray**



---

## Symbols glossary

---

|  |   |   |   |
|--|---|---|---|
|  | Antibacterial   |  | Antiscratch   |
|  | Cupboard width required for sink installation.  |  | Sink depth - depending on the model, the depth can be from 13 to 24,5.  |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets. |  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |
|  | Easy to clean   |  | High temperatures resistant   |
|  | Impact resistant  |  | Thermal shock resistant   |
|  | UV protection, does not fade over time.   |   |   |

---

## Benefit (TT)

---

### **One bowl**

A single bowl for greater adaptability, capacity and space optimisation