

VZP76CT

Sink material Composite Composite bowl Type

No. of bowls

EAN code 8017709294021



Aesthetics





Aesthetic Universale On overflow Logo

Alternative colours Colour Cement / Concrete Dove Gray, Black, White

available Series Quadra

Tap hole / precut tap No Taphole Building in type Standard, Undermount

6 mm

80 cm

Standard + undermount clip

Height from kitchen top

Base unit size

No. of clips

Type of clips

hole

Bowl Bowl dimensions, Bowl depth Radius Strainer Strainer Overflow WxDxH (mm) corner bowl position dimension type (mm) Minimum Yes, flush Wall 700 x 400 x 215 3.5" Bowl 215 10 radius fitted position

Technical Features

















Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant,

Impact resistant, UV Resistant

Dimensions of the

product (mm)

215x756x456 mm

Cutout dimension topmount (mm)

746x446 mm



Cutout dimension undermount (mm) Undermount cutout

700x400 mm


Undermount cutout radius

10 mm

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories

CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Alternative products

VZP76B

Colour: White



VZP76N

Colour: Black



Colour: Dove Gray





Symbols glossary



Antibacterial



Cupboard width required for sink installation.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Termal schock resistant



Impact resistant



UV protection, does not fade over time.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



High temperatures resistant



Easy to clean



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation