WD2145

Product family	Thermodisinfectors
Type	Thermodisinfectors 45 cm
Intrastat	90189084
EAN code	8017709201241



Technical Features

Undercounter installation	Yes	**Emergency opening system**	Yes
Washing levels	up to 2	**Temperature sensors in Tank**	2 x PT 1000 Class B IEC 60751
DIN loading capacity	up to 2	**Noise level (dbA)**	Max. 50 dBA
Door	1, balanced swing door in stainless steel	**Serial RS232 port**	Yes
Safety Door Lock	Yes, with electromagnetic release and automatic opening		

Programs

Standard programs stores	9	**Program editing**	Yes
Modifiable programs	6		

Interface

Electronic control	Yes	**Traceability**	Last 100 executed programs
Display	LCD	**Cycle Archive**	Yes
Programme progress indicator	Yes	**Download cycle**	Yes
End of cycle indicator	Yes	**Diagnosis**	Remote control with optional; With software
Alarm indicator	Yes, on the display	**LAN connection**	Optional
Remaining duration display	Yes		

Construction

Washer Chamber Material	Stainless steel AISI 316L	**Capacity washing chamber (gross volume)**	110 l
External material of the machine	Stainless Steel AISI 304		

Equipments

Built-in water softener	Yes	**Chemicals dosing**	Standard
Steam Condenser	Yes	**Water supply pipe**	3/4"
Peristaltic pump for liquid detergent dosage	Yes	**Supply pipe diameter**	1/2"
Neutralizing peristaltic pump	Yes		

Electrical Connection

Electrical connection	1N AC 230V - 50Hz	**Frequency (Hz)**	50 Hz
Voltage (V)	230 V	**Plug**	(F;E) Schuko

Logistic Information

Dimensions of the product WxDxH (mm)	450x620x850	**Gross weight (kg)**	63,000 kg
		Net weight	53,000 kg
Width (mm)	450 mm		

Compatible Accessories



CSKDIN



CSMICRO1



CSMICRO2



CSMICRO3