

ZAFA403NX



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Cooling type	No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709296131



Aesthetics



Aesthetic	Universale	Logo colour	Chrome
Colour	Stainless steel	Side material	Steel
Design	Flat	Side colour	Silver
Finishing	Fingerproof	Logo	Applied
Material	Stainless steel	Door shelves profile color	Silver
Door steel type	Finger proof	Drawers profile color	Silver
Handle	External	Color of glass shelf profile	Silver
Handle type	Active	Display	LCD Touch
Handle colour	Silver	Display position	Esterno (su porta)

Refrigerator compartment features



Number of compartments	3	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	Low temperature compartment	Yes
Number of fruit and vegetables drawers	2	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED

Type of crisper/vegetable drawers cover Standard

Refrigerator Inner Door

Number of adjustable door shelves 4 No. of bottle shelves 1

Other Refrigerator features



Humidity Control Yes Fan Yes

Other technical features



Functions display Holiday, Fast cooling, ECO, Temperature alarm
 Type of temperature control Electro-mechanical
 No. of compressors 1
 Refrigerant gas type R600a
 Type of compressor Standard
 Refrigerant Quantity (gr) 33 g
 Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption 132 kWh/a Airborne acoustical noise emissions 40 dB(A) re 1 pW
 Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 380 l Climate class SN, T

Electrical Connection

Electrical connection rating 110 W Frequency (Hz) 50 Hz
 Current 0,52 A Power supply cable length 210 cm
 Voltage (V) 220-240 V Plug (F;E) Schuko

Logistic Information

Width 595 mm Height 1860 mm
 Depth without handle 650 mm

Compatible Accessories

REFLK
connecting kit



Symbols glossary

- | | | | |
|--|--|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | |
|  | LCD display: to optimize performance and simplify the use of the appliance. |  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new. |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required. | | |