ZAFA403NX



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Cooling type	No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709296131

Aesthetics

Aesthetic	Universale	**Logo colour**	Chrome
Colour	Stainless steel	**Side material**	Steel
Design	Flat	**Side colour**	Silver
Finishing	Fingerproof	**Logo**	Applied
Material	Stainless steel	**Door shelves profile color**	Silver
Door steel type	Finger proof	**Drawers profile color**	Silver
Handle	External	**Color of glass shelf profile**	Silver
Handle type	Active	**Display**	LCD Touch
Handle colour	Silver	**Display porition**	Esterno (su porta)

Refrigerator compartment features

Number of compartments	3	**Crisper Cover**	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Glass
No. of adjustable shelves	3	**Low temperature compartment**	Yes
Number of fruit and vegetables drawers	2	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED

Type of crisper/vegetable drawers cover	Standard

Refrigerator Inner Door

Number of adjustable door shelves	4	**No. of bottle shelves**	1

Other Refrigerator features



Humidity Control	Yes	**Fan**	Yes

Other technical features



Functions display	Holiday, Fast cooling, Temperature alarm
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	33 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption	132 kWh/a	**Airborne acoustical noise emissions**	40 dB(A) re 1 pW
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	380 l	**Climate class**	SN, T

Electrical Connection

Electrical connection rating	110 W	**Frequency (Hz)**	50 Hz
Current	0.52 A	**Power supply cable length**	210 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	595 mm	**Height**	1860 mm
Depth without handle	650 mm		

Compatible Accessories



REFLK

connecting kit

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





LCD display: to optimize performance and simplify the use of the appliance.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.