

ZAS7L176F2P



| | |
|-------------------------|---------------|
| Product Family | Refrigerator |
| Installation | Built-in |
| Category | One Door |
| Built-in niche | 178 |
| Reference width | Until 60 cm |
| Reference height | 160 - 200 cm |
| Cooling type | Fan assisted |
| Defrost | Automatic |
| Hinge type | Sliding |
| Hinge position | Right |
| Reversible door | Yes |
| EAN code | 8017709255411 |



Aesthetics



| | | | |
|----------------------|-------------|-------------------------------------|-------------|
| Aesthetic | Universale | Logo | Silk screen |
| Colour | White | Door shelves profile color | Silver |
| Design | Flat | Drawers profile color | Silver |
| Material | Metal sheet | Color of glass shelf profile | Chrome |
| Side material | Steel | Display | LCD Touch |
| Side colour | White | Display position | |

Refrigerator compartment features



| | | | |
|--|------------------|--|-------|
| No. of adjustable shelves | 5 | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers | 1 | Low temperature compartment | Yes |
| Shelves material | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|---|---|------------------------------|---|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
|---|---|------------------------------|---|

Number of adjustable door shelves 3

Other Refrigerator features



| | | | |
|-------------|------------------------|-----|-----|
| Accessories | Kit listeria, Egg tray | Fan | Yes |
|-------------|------------------------|-----|-----|

Other technical features



| | |
|-----------------------------|---|
| Functions display | Holiday, Fast cooling, Control lock, Temperature alarm, Cooling timer |
| Water network connection | |
| Temperature alarm lamp | Yes |
| Door open alarm | Yes |
| Temperature Alarm | Yes |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (gr) | 38 g |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019


Airborne acoustical noise emissions 34 dB(A) re 1 pW

Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|----------------|
| Electrical connection rating | 100 W | Frequency (Hz) | 50 Hz |
| Current | 0,6 A | Power supply cable length | 240 cm |
| Voltage (V) | 230-240 V | Plug | (M) Sud Africa |

Logistic Information

| | | | |
|----------------------|--------|--------------|---------|
| Width | 540 mm | Height | 1780 mm |
| Depth without handle | 549 mm | Spacer depth | 38 mm |



Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LCD display: to optimize performance and simplify the use of the appliance.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Built-in niche