ZAS7L176F2P



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709255411

Aesthetics

Aesthetic	Universale	**Logo**	Silk screen
Colour	White	**Door shelves profile color**	Silver
Design	Flat	**Drawers profile color**	Silver
Material	Metal sheet	**Color of glass shelf profile**	Chrome
Side material	Steel	**Display**	LCD Touch
Side colour	White	**Display porition**	

Refrigerator compartment features

No. of adjustable shelves	5	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	1	**Low temperature compartment**	Yes
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	On sliding rails	**Type of internal light (fridge)**	LED
Crisper Cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Number of adjustable door shelves	3

Other Refrigerator features



Accessories	Kit listeria, Egg tray	**Fan**	Yes

Other technical features



Functions display	Holiday, Fast cooling, Control lock, Temperature alarm, Cooling timer
Water network connection	
Temperature alarm lamp	Yes
Door open alarm	Yes
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	38 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019


Airborne acoustical noise emissions	34 dB(A) re 1 pW

Electrical Connection

Electrical connection rating	100 W	**Frequency (Hz)**	50 Hz
Current	0,6 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(M) Sud Africa

Logistic Information

Width	540 mm	**Height**	1780 mm
Depth without handle	549 mm	**Spacer depth**	38 mm


min 200cm²
549
540
1779
1772
560
min. 545
1773
min. 550
min.38
min 200cm²

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



LCD display: to optimize performance and simplify the use of the appliance.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Built-in niche