


ZAS8F174NE



Product Family	Freezers
Installation	Built-in
Built-In Niche	178 cm
Category	Single door
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	No Frost
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes



Aesthetics




Aesthetic	Universale	Side colour	White
Colour	White	Logo	Silk screen
Material	Steel	Drawers profile color	Silver
Side material	Metal	Display	LCD Touch

Freezer compartment features

Number of drawers	5
No. of compartments with flap	2

Other technical features




Freezer compartment accessories	Ice cube tray	Type of temperature control	Electronic
Functions display	Fast Freezing, Control lock, Temperature Alarm, Cooling timer	No. of compressors	1
Fast freezing button	Yes	Refrigerant gas type	R600a
Temperature alarm lamp	Yes	Type of compressor	Standard
		Refrigerant Quantity (gr)	48 g
		Foam agent	Cyclopentane
Door open alarm	Acoustic		
Temperature alarm	Acoustic and visual		

Electrical Connection








Electrical connection rating	150 W	Frequency (Hz)	50 Hz
Current	1 A	Power supply cable length	240 cm
Voltage	220-240 V	Plug	(M) Sud Africa

Logistic Information

Width	540 mm	Depth of the built-in niche	560 mm
Width of the built-in niche	560 mm	Height of the built-in niche	1773 mm
Depth without handle	549 mm	Spacer depth	38 mm
Height, maximum value	1772 mm		



Symbols glossary

- | | | | |
|--|--|---|--|
|  | 4 stars freezing compartment for better food preservation. |  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |
|  | A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |  | LCD display: to optimize performance and simplify the use of the appliance. |
|  | Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage. |  | Built-in niche |
|  | No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required. | | |