

# ZAS8F174NE



Product Family	Freezers
Installation	Built-in
Built-In Niche	178
Category	Single door
Reference width	Until 60
Reference height	160 - 200
Cooling type	No Frost
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes



## Aesthetics




Aesthetic	Universale	Side colour	White
Colour	White	Logo	Silk screen
Material	Steel	Drawers profile color	Silver
Side material	Metal	Display	LCD Touch

## Freezer compartment features

Number of drawers	5
No. of compartments with flap	2


## Other technical features



Freezer compartment accessories	Ice cube tray	Type of temperature control	Electronic
Functions display	Fast Freezing, Control lock, Temperature Alarm, Cooling timer	No. of compressors	1
Fast freezing button	Yes	Refrigerant gas type	R600a
Temperature alarm lamp	Yes	Type of compressor	Standard
		Refrigerant Quantity (gr)	48 g
		Foam agent	Cyclopentane
Door open alarm	Acoustic		
Temperature alarm	Acoustic and visual		

Electrical Connection








Plug	(M) Sud Africa	Voltage	220-240 V
Electrical connection rating	150 W	Frequency (Hz)	50 Hz
Current	1 A	Power supply cable length	240 cm



---

## Symbols glossary

---

	4 stars freezing compartment for better food preservation.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		LCD display: to optimize performance and simplify the use of the appliance.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		Built-in niche
	No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.		

---

## Benefit (TT)

---

### **No-Forst Cooling System**

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

### **Reversible Door**

Reversible door ensures flexible installation and space optimisation

### **Climatic Class**

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

### **R600a Refrigerant Gas**

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption