

C92GMX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Gas

Thermoseal

Static

Vapour Clean

8017709321277

Α

Α



Aesthetics









Aesthetic Classic
Serie Sinfonia

DesignSquare designColourStainless steel

Finishing Satin

Command panel finish Finger friendly stainless

steel

LogoAssembled st/steelLogo positionFacia below the oven

Upstand Yes

Hob colourStainless steelType of pan standsCast IronType of control settingControl knobs

Control knobsSmeg ClassicControls colourStainless steel

No. of controls 8
Serigraphy colour Black
Display Touch

Door With 2 horizontal strips

Glass type eclypse
Handle Smeg Classic

Handle Colour Brushed stainless steel

Storage compartment Door Feet Silver

Programs / Functions

No. of cooking functions Traditional cooking functions



Circulaire



Turbo

ECO

Eco

Static



Small grill



Large grill

%

Fan grill (large)



Fan assisted bottom

SMEG SPA 5/02/2025

8



Other functions

Defrost by time

Cleaning functions

Catalytic

Vapour Clean

Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Bottom element + Upper element

Traditional cooking functions, cavity 2

Static

Bottom

Small grill



Large grill

Hob technical features

UR

Total no. of cook zones 5

Centrale sinistra - Gas - 2UR (dual) - 4.20 kW Rear centre - Gas - Semi Rapid - 1.80 kW Front centre - Gas - AUX - 1.00 kW Rear right - Gas - Rapid - 2.90 kW

Front right - Gas - Semi Rapid - 1.80 kW

Type of gas burners Standard

Automatic electronic ignition

Gas safety valves

Yes

Burner caps Matt black enamelled

Main Oven Technical Features

















Yes





No. of lights Fan number Net volume of the cavity 70 l Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Halogen Light type **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective door glasses

Safety Thermostat Yes

Tangential Cooling system

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element

power

1200 W

360X460X425 mm

Upper heating element - 1000 W

Power



Removable door Yes Grill elememt 1700 W Full glass inner door Yes Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Minimum Temperature 40 °C Yes End of cooking acoustic Maximum temperature 260 °C Yes

alarm

Type of shelves

Second Oven Technical Features

Net volume of the 35 I No. total door glasses 3 second cavity No. thermo-reflective Gross volume, 2nd 36 I door glasses

cavity Safety Thermostat Yes

Cavity material Ever Clean enamel Cooling system **Tangential**

No. of shelves Usable cavity space 311x206x418 mm Metal racks dimensions (HxWxD)

No. of lights Electro-mechanical Temperature control

Light type Incandescent Lower heating element - 700 W

power 25 W **Light Power**

Upper heating element - 600 W Flap down Door opening **Power**

Removable door Yes 1300 W Grill element - power Full glass inner door Yes Large grill - Power 1900 W Removable inner door Yes Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50°C Maximum temperature 245°C

Accessories included for Main Oven & Hob

Moka stand

Grill mesh 1 Rack with back and side 2 Catalityc panels 3 stop Telescopic Guide rails, 40mm deep tray partial Extraction

Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh 1 stop



Wide baking tray

1

Electrical Connection

Electrical connection 5200 W

rating

Current 23 A

Voltage 220-240 V
Voltage 2 (V) 380-415 V
Type of electric cable Yes, Single phase

installed

Power supply cable


length

Type of electric cable Yes, Double and Three

Phase

120 cm

Frequency 50/60 Hz Terminal block 5 poles





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ


Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BGTR9



Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

BN620-1



BN640



Enamelled tray, 40mm deep

BNP608T



Teflon-coated tray, 8mm depth, to be placed on the grid

GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KIT600C92PX



Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven

KITC9X9-1



Splashback, 90x75 cm, stainless steel, suitable for Portofino, Master and Sinfonia cookers

KITH900CPF9



Height extension kit (950 mm), suitable for TR4110 cookers

KITH95CPF9



Height extension kit (950 mm), suitable for Portofino cookers

KITPBX



Height reduction feet (850 mm)

PALPZ



Pizza shovel with fold away handle width: 315mm length: 325mm

SFLK1



Child lock

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

STONE



Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary

A F	A: Product drying performance, measured from A+++ to D / G depending on the product family	***	Heavy duty cast iron pan stands: for maximum stability and strength.
	Installation in column: Installation in column	!!!	Air cooling system: to ensure a safe surface temperatures.
**	Defrost by time: with this function the time of thawing of foods are determined automatically.	3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.	8	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	~~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.	€	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.





Light



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



φ

Knobs control



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency



AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200°C.