

C92GMX2

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 90x60 cm 2 ELECTRICITY Gas Thermo-ventilated Static Vapor Clean 8017709321277 A A



Aesthetics

| Screen | |
|--------------------------------|---------------------------------|
| Aesthetic | Classica |
| Series | Sinfonia |
| Design | Square design |
| Colour | Stainless steel |
| Finishing | Satin |
| Command panel finish | Finger friendly stainless steel |
| Logo | Assembled st/steel |
| Logo position | Facia below the oven |
| Upstand | Yes |
| Hob colour | Stainless steel |
| Type of pan stands | Cast Iron |
| Type of control setting hob | Control knobs |

Type of control knobs Controls colour No. of controls Serigraphy colour Display name Door Glass type Handle Handle Colour Storage compartment Feet color Smeg Classic Stainless steel 8 Black DigiScreen With 2 horizontal strips Eclipse Smeg Classic Brushed stainless steel Door Silver

Programs / Functions main oven

No. of cooking functions



| Traditional cooking functions | | |
|--|-------------------|-------------|
| Fan assisted base + Vapor clean | Static | Circulaire |
| 🛞 Turbo | ECO Eco | Small grill |
| Large grill | Fan grill (large) | |
| | | |
| Cleaning functions | | |
| Catalytic | Vapor clean | |
| Programs / Functions A | uxiliary Oven | |
| Cooking functions cavity 2 Bottom element + Upper element | 4 | |
| Traditional cooking functions, cav | ity 2 | |
| Static | Small grill | Large grill |
| | | |

Bottom

Hob technical features

| UR | | | |
|-------------------------------|---------------------|-------------------|----------------------|
| Total no. of cook zones | 5 | | |
| Centrale sinistra - Gas - 2 | UR (dual) - 4.20 kW | | |
| Rear centre - Gas - Semi F | apid - 1.80 kW | | |
| Front centre - Gas - AUX - | 1.00 kW | | |
| Rear right - Gas - Rapid - | 2.90 kW | | |
| Front right - Gas - Semi Ro | apid - 1.80 kW | | |
| Type of gas burners | Standard | Gas safety valves | Yes |
| Automatic electronic ignition | Yes | Burner caps | Matt black enamelled |
| Main Oven Technical Features | | | |

| 7011 | |
|--------------------------|-------------------|
| No. of lights | 1 |
| Fan number | 1 |
| Net volume of the cavity | 70 I |
| Gross volume, 1st cavity | 791 |
| Cavity material | Ever Clean enamel |

Removable inner doorYesTotal no. of door glasses3No.of thermo-reflective2door glasses3Safety ThermostatYes



| No. of shelves Type of shelves | Metal racks Usable co | Cooling system Usable cavity space dimensions (HxWxD) | Tangential 360X460X425 mm |
|---|-----------------------|---|------------------------------|
| Light type Light Power | Halogen 40 W | Temperature control | Electro-mechanical |
| Cooking time setting Light when oven door is | Start and Stop Yes | Lower heating element power | 1200 W |
| open Door opening | Flap down | Upper heating element - Power | |
| Removable door Full glass inner door | | Grill elememt Large grill - Power | 1700 W 2700 W |
| | | Circular heating element - Power | 2000 W |
| | | Grill type | Electric |

Options Main Oven

| Timer | Yes | Minimum Temperature | 40 °C |
|-------------------------|-----|---------------------|--------|
| End of cooking acoustic | Yes | Maximum temperature | 260 °C |
| alarm | | | |

Second Oven Technical Features

| 351 🧾 🤔 🗍 | | | |
|-----------------------|-------------------|-------------------------|--------------------|
| Net volume of the | 35 I | No. total door glasses | 3 |
| second cavity | | No. thermo-reflective | 2 |
| Gross volume, 2nd | 361 | door glasses | |
| cavity | | Safety Thermostat | Yes |
| Cavity material | Ever Clean enamel | Cooling system | Tangential |
| No. of shelves | 4 | Usable cavity space | 311x206x418 mm |
| Type of shelves | Metal racks | dimensions (HxWxD) | |
| No. of lights | 1 | Temperature control | Electro-mechanical |
| Light type | Incandescent | Lower heating element - | 700 W |
| Light Power | 25 W | power | |
| Door opening | Flap down | Upper heating element - | 600 W |
| Removable door | Yes | Power | |
| Full glass inner door | Yes | Grill element - power | 1300 W |
| Removable inner door | Yes | Large grill - Power | 1900 W |
| | | Grill type | Electric |

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C

Accessories included for Main Oven & Hob

| Moka stand | 1 | Grill mesh | 1 |
|------------|---|------------------|---|
| | | Catalityc panels | 3 |



Rack with back and side2stop1


Telescopic Guide rails, 1 partial Extraction

Accessories included for Secondary Oven

| Rack with back and side stop | 1 | Grill mesh | 1 |
|---------------------------------|---|------------|---|
| Wide baking tray | 1 | | |

Electrical Connection

| Plug | Not present | Electric cable | Installed, Single phase |
|------------------------------|-------------|------------------------------|-------------------------|
| Electrical connection rating | 5200 W | Power supply cable length | 120 cm |
| Current | 23 A | Additional connection | Double and Three Phase |
| Voltage | 220-240 V | modalities | |
| Voltage 2 (V) | 380-415 V | Frequency | 50/60 Hz |
| 5 () | | Terminal block | 5 poles |





Not included accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

BN640



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GTP



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.


BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid


GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

KIT600C92PX



KITH900CPF9







KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers

KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers









KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

SMOLD

PALPZ

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C




SFLK1

Child lock

STONE

cm.



-ss-smeg

Symbols glossary

| *** | Heavy duty cast iron pan stands: for maximum stability and strength. | | |
|------------|--|------------------|---|
| | Installation in column: Installation in column | Q | Knobs control |
| | Air cooling system: to ensure a safe surface temperatures. | DIGI | 4.3 inch display with LED technology, usability with knobs + 3 touch keys |
| 3 | Triple glazed doors: Number of glazed doors. | | Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking |
| 8 | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new. | $\left(\right)$ | Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes. |
| \bigcirc | Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes. | | Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner. |
| | Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner. | * | Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors. |



| ECO | ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment | $\widehat{}$ | Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes. |
|-------|---|--------------|---|
| ••• | Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities. | (%) | Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat. |
| XX. | Light | | Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking. |
| | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. | | The inner door glass: can be removed with a few quick movements for cleaning. |
| С | Side lights: Two opposing side lights increase visibility inside the oven. | | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |
| .4 | The oven cavity has 4 different cooking levels. | .5 | The oven cavity has 5 different cooking levels. |
| | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. | ŝ | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3°C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |
| UR | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | V | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity. |
| 35 It | The capacity indicates the amount of usable space in the oven cavity in litres. | 70 It | The capacity indicates the amount of usable space in the oven cavity in litres. |



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency

•se•smeg

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200°C.