

C92IPN2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

Electric

Induction

Thermo-ventilated

Static

Pyrolytic

8017709336240

А

Α



Aesthetics





Aesthetics Series

Design Colour Finishing

Command panel finish

Logo

Logo position

Logo position

Upstand Hob colour

Type of control setting

Slider

Classic

Symphony

Square design Matte Black

Matte black

Enamelled metal
Assembled st/steel

Facia below the oven

Yes

Anthracite

Control knobs

Red

Control knobs Smeg Classic
Controls colour Matt Black

No. of controls Serigraphy colour

Display Touch

Door With 2 horizontal strips
Glass type dark grey
Handle Smeg Classic
Handle Colour Matt Black

Storage compartment Feet

ent Door Black

Silver

Programs / Functions

No. of cooking functions

9



when overflow

Traditional cooking funct	ions					
Static	Fan assiste	d & C	irculaire			
<u>®</u>						
Turbo (circulaire + bottom +	upper + ECO ECO	L	arge grill			
fan)						
Fan grill (large)	Base	ॐ F€	an assisted base			
Cleaning functions						
Cleaning functions						
Pyrolytic						
Programs / Functions Auxiliary Oven						
Cooking functions cavity Bottom element + Upper		3				
Traditional cooking funct	ions, cavity 2					
Static	Large grill	В	ottom			
Hob technical features						
P STOP						
Total no. of cook zones 5						
Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm						
Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm						
Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm						
Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm						
Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm						
No. of cooking zones with Booster	5	Automatic pan detection	Yes			
Number of Flexible zones	1	Minimum pan diameter indication	Yes			
Automatic switch off when overheat	Yes	Selected zone indicator Residual heat indicator	Yes Yes			
Automatic switch off	Yes	nesidadi nedi mulcului	103			



Main Oven Technical Features





















No. of lights 1 Fan number 1 Net volume of the cavity 70 litres Gross volume, 1st cavity 791

Easy clean enamel Cavity material

Shelf positions

Type of shelves Metal racks

Roof Liner Yes Light type Halogen 40 W Light power

Cooking time setting Start and Stop

Light when oven door is Yes

open

Flap down Door opening

Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 4 No.of thermo-reflective door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential Door Lock During** Yes

Pyrolisis

Usable cavity space

dimensions (HxWxD) Electro-mechanical Temperature control

360X460X425 mm

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Yes End of cooking acoustic alarm

Yes

50 °C Minimum Temperature Maximum temperature 260 °C

Second Oven Technical Features







Net volume of the











35 litres

Easy clean enamel

second cavity Gross volume, 2nd 36 I

cavity

Cavity material Shelf positions

Type of shelves Metal racks

No. of lights

Light type Incandescent 25 W Light power

Door opening Flap down Removable door Yes Full glass inner door Yes

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat Yes **Tangential**

Cooling system Usable cavity space

dimensions (HxWxD) Electro-mechanical Temperature control

3

1

311x206x418 mm

Lower heating element - 700 W

power

Upper heating element - 600 W

Power

Grill element - power 1300 W 1900 W Large grill - Power

14/03/2025 **SMEG SPA**



Removable inner door Yes Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob




Chrome shelf with back 1 Grill mesh 1 and side stop Telescopic Guide rails, 1 20mm deep tray 1 total Extraction
40mm deep tray 1 Meat Probe 1

Accessories included for Secondary Oven

Chrome shelf with back 1 Grill mesh 1 and side stop Child lock 1 Wide baking tray 1

Electrical Connection

Max Power Draw12000 WVoltage 2 (V)380-415 VCurrent36 AFrequency50/60 HzVoltage220-240 VTerminal block5 poles





Not included accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KIT600C92PN



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH900CPF9



Height extension kit, suitable for 90 cookers (codes starting CPF9, CPF92 and C92)



Height extension kit (950 mm), suitable for Portofino cookers

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



KITPBX

Height reduction feet (850 mm)



SCRP

Induction and ceramic hobs and teppanyaki scraper





SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

A A	A: Product drying performance, measured from A+++ to D / G depending on the product family	P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Installation in column: Installation in column
	Air cooling system: to ensure a safe surface temperatures.	3 3	Triple glazed doors: Number of glazed doors.
4	Quadruple glazed: Number of glazed doors.	ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
8	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.	®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.		Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.





Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Light



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.





The capacity indicates the amount of usable space in the oven cavity in litres.



The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.



Knobs control



Automatic merge of zones for a bigger area



Benefit

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat