

C9IMN2

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code Energy efficiency class 90x60 cm 1 Electric Induction Thermo-ventilated Vapor Clean 8017709336233 A



Aesthetics

. .

DIGI screen			
Aesthetics	Classic	Control knobs	Smeg Classic
Series	Symphony	Controls colour	Black
Design	Square design	No. of controls	7
Colour	Matte Black	Serigraphy colour	Silver
Finishing	Matte black	Display	Touch
Command panel finish	Enamelled metal	Door	With 2 horizontal strips
Logo	Assembled st/steel	Glass type	dark grey
Logo position	Facia below the oven	Handle	Smeg Classic
Hob colour	Black enamel	Handle Colour	Black
Type of control setting	Control knobs	Storage compartment	Door
Slider	Red	Feet	Black

Programs / Functions

No. of cooking functions Traditional cooking functions	9	
Static	🛞 Fan assisted	Circulaire
ECO ECO	Small grill	Large grill
😨 Fan grill (large)	Base	🛞 Fan assisted base



Other functions

*

Defrost by time

Cleaning functions

/ Vapor Clean

Hob options



Control lock Limited Power Consumption Mode Yes Yes

Limited Power	3700, 4800, 7400 W
Consumption Mode in W	
Multizone Option	Yes

Hob technical features



detection

Total no. of cook zones 5 Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm No. of cooking zones 5 Minimum pan diameter Yes with Booster indication Number of Flexible Selected zone indicator Yes 1 zones Residual heat indicator Yes Automatic switch off Yes when overheat Automatic pan Yes

Main Oven Technical Features

115R 🧾 .5			
No. of lights	2	Removable inner door	Yes
Fan number	2	Total no. of door glasses	3
Net volume of the cavity	115 litres	No.of thermo-reflective	2
Gross volume, 1st cavity	1291	door glasses	
Cavity material	Easy clean enamel	Safety Thermostat	Yes
Shelf positions	5	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	371x724x418 mm
Light type	Halogen	dimensions (HxWxD)	
Light power	40 W	Temperature control	Electro-mechanical
Cooking time setting	Start and Stop	Lower heating element	1700 W
Light when oven door is	Yes	power	1200.14
open		Upper heating element - Power	1200 W
Door opening	Flap down	FUWEI	



		Grill elememt	1700 W
Removable door	Yes	Large grill - Power	2900 W
Full glass inner door	Yes	Circular heating element - Power	2 x 1550 W
		Grill type	Electric

Options Main Oven


Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	260 °C

Accessories included for Main Oven & Hob

Rack with back and si stop	ide 1	Grill mesh Meat Probe	1 1	
20mm deep tray	1			
40mm deep tray	1			

Electrical Connection

Max Power Draw	10600 W	Voltage 2 (V)	380-415 V
Current	46 A	Frequency	50/60 Hz
Voltage	220-240 V	Terminal block	5 poles





Not included accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ9

GTP





Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



KITC9X9-1

Splashback, 90x75 cm, stainless steel, suitable for Portofino and Symphony cookers

**Partially extractable telescopic guides

(1 level)** Extraction: 300 mm Material:

Stainless steel AISI 430 polished



KITH95MN



KITPBX

Height reduction feet (850 mm)





SCRP

Pizza shovel with fold away handle width: 315mm length: 325mm





Induction and ceramic hobs and teppanyaki scraper



KITSB9MB

PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

SFLK1

Child lock







SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C




TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

-ss-smeg

Symbols glossary



•se•smeg

STOP ℃∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	創	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
505 205	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<u>.5</u>	The oven cavity has 5 different cooking levels.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	115 R	The capacity indicates the amount of usable space in the oven cavity in litres.
DIGI	The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.	0	Knobs control
Ō	Automatic merge of zones for a bigger area		



Benefit

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

.ss•smeg

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat